


S U P E R T R A D I T I O N A L




OUR STORY	05
SUPER TRADITIONAL	09
IN-CUP QUALITY	10
MILK TECHNOLOGY	13
CONNECTIVITY	14
MODULARITY	16
DESIGN PHILOSOPHY	19
LÉGACY SERIES	20
TECHNICAL DATA	24
CAMEO SERIES	28
DETAILS THE LOOK	33
TECHNICAL DATA	35
ACCESSORIES	41
ENIGMA SERIES	42
DESIGN DETAILS	49
TECHNICAL DATA	51
ACCESSORIES/CLASSIC	73
ACCESSORIES/ST	75
CUSTOM	76
WORLD PRESENCE	82

OUR STORY

Created in 2009, Eversys has, after a sustained period of significant growth, now moved into a brand - new factory based in Sierre, Switzerland. This should form the cornerstone of Eversys' next decade of ambition, fulfilling its vision to develop innovative solutions for the coffee industry.

Eversys' next challenge will be to launch its new range of Super Traditional machines - Cameo, Enigma and Shotmaster ranges, help the markets to not only recover from a difficult time but also to prosper.





SUPER TRADITIONAL



Eversys' vision has always been to create a narrative between the worlds of traditional and super automatic machines. Our mission has been to fill that gap and, in due time, to increase its relevance. In order to achieve this, we continuously create a blend, a harmonious cohesion between authentic flavours, smells, emotions and innovative technology.

Now, we would like to take this a step further by introducing design aesthetics, new technology, components and colours to create a more visually dynamic picture. It is this ambition that has enabled us to give birth to a new moniker to our machine range: Super Traditional.

Our machines offer self-calibration, which promotes consistent in-cup quality with every use. With our ETC (Extraction Time Control) system, the user has the freedom to manage and control brand standards through an intelligent algorithm, which ensures effective management over the quality, consistency and reliability of each product.

Combining this with our e'Levelling technology, which is a patented automatic powder levelling system. This enables the user to achieve a greater in-cup consistency as the automatic levelling system replicates what a barista does; tapping the portafilter after grinding fresh beans, allowing the powder to become more rendered, compact and homogeneous.



I N - C U P Q U A L I T Y

P E R F E C T L Y



T E X T U R E D M I L K

1 - S T E P

Designed to be simple, at the push of a button our 1-Step programme delivers frothed milk to be directly dispensed into the cup, providing the perfect textured milk to accentuate your espresso.

1 . 5 - S T E P

Our latest innovation, the 1.5-Step milk option, causes milk to be directly dispensed into a pitcher at the same time as the espresso pours into the cup. This enables the user to then blend the two liquids and design beautiful Latte Art creations without having any prior 'skill'.

2 - S T E P

The 2-Step option works with the use of a traditional steam arm which enables you to texture milk by beverage type using a conventional wand for authentic visuals, theatre and skill. Manual, Autostream or Everfoam.

In today's fast-paced world of technology, it has become critical for businesses to possess the ability to communicate with their assets. In order to make this possible, Eversys provides three connectivity solutions; e'Connect, e'Connect API and e'API.

E ' C O N N E C T

Our in-house telemetry system allows you to track and process live data from anywhere in the world. This creates transparency, performance and information flow to seamlessly integrate all of the customer's key performance indicators into a pull/push reporting mechanism.

E ' C O N N E C T A P I

Our e'Connect API allows you to connect your ERP with our cloud. Your ERP fetches all the relevant telemetry data via the REST API and has its own business logic on how to manage the machine estate. This lets you receive automated logistics, manage maintenance and monitor your KPI's. It's also possible to develop your own mobile app.

E ' A P I


Our e'API allows you to connect your hardware with our machine. This enables you to integrate your own payment extension, use our machine as module for a bigger solution such as vending machines or link your system to robotic technologies.

FUTURE PROOFED



EQUIPMENT

EFFICIENT MODULAR CONSTRUCTION



All of Eversys' equipment is built in modules, ensuring rapid access for any technical intervention which enables minimal downtime and reduced maintenance costs.

THE BREWING UNIT

Inside our machines, the brewing chamber holds up to 24g of coffee powder, which allows for a wide range of brewing recipes. In order to optimise powder flow as espresso is produced, we have implemented a reverse gravity extraction process to maximise extraction results.

THE GRINDER MODULE

All of our machines are equipped with two different grinders set up, allowing two recipes to be produced at the same time. This also provides the option to dose powder from each grinder and produce it through a singular extraction. Ceramic blades provide both precision and longevity of production.

THE MILK MODULE

Milk is frothed with steam just like a traditional barista would do, ensuring optimal texture and flavour.

THE STEAM / WATER UNIT

Our steam and water unit, which ensures consistency of the temperature and high levels of productivity, offers the same volume capacity as traditional equipment, depending on the machine type.

THE HYDRAULIC MODULE

The hydraulic module of our machines, a separate boiler used exclusively for coffee preparation, guarantees constant temperature and maximum productivity.

The design of our machines is a combination between design aesthetics and functionality, which has been achieved by enhancing the intrinsic characteristics of natural metals.

When looking at the aluminium side panels (brushed aluminium on the Enigma, casted alloy on the Cameo), they immediately give an impression of quality, durability and sophistication. The cast aluminium coffee outlets mirror the rounded shape of traditional coffee machine outlets and fit with the contemporary styling themes of the machine, the rounded rectangle for the Enigma, and the dynamic facets for the Cameo. The result of these design features results in an appealing and ergonomic shape, built with prime haptics.

DESIGN PHILOSOPHY

The strength of the natural brushed stainless-steel drip tray will resist wear and tear throughout the years.

The ST models have an even more emotional design which enhances the character of the machines by featuring more sculptural and dynamic surfaces, as well as applying peculiar surface treatments, like the satin raw bodywork of the Cameo ST mixed with the piano-black inserts.

All these features and machine characteristics support the design philosophy of both Cameo and Enigma; pure, authentic and timeless.

Rossler



LEGACY

SUPER TRADITIONAL



OUR LATEST INNOVATION

A compact machine that helps businesses with less space offer a great coffee experience to their customers.

In developing our new Legacy machine, we had our 10-year journey to date in mind. We thought back to our roots, our heritage, and our attributes. And the idea came naturally; we would craft a compact machine that would unite the essence of who we are - without compromise, protect the values which remain close to our heart; we remain innovators, preservers of authenticity, and providers of market-leading in-cup quality.

LEGACY SERIES



L É G A C Y



360 mm (14.2 in)



600 mm (23.6 in)

640 mm (25.2 in)

The machine illustrated above is the Legacy L'2c

L ' 2 C



175 espresso/h/extraction 23 s
120 hot water products/h/200ml
120 powder products/h



Two products at the same time



—



—



Hot water outlet



e'Levelling



—



60 kg



360 x 640 x 600 mm



Tempest

L ' 2 M

175 espresso/h/extraction 23 s
120 cappuccino/h/extraction 23 s
120 hot water products/h/200ml
120 powder products/h

Two products at the same time

—

Milk system with EMT

Hot water outlet

e'Levelling

—

60 kg

360 x 640 x 600 mm

Tempest

L É G A C Y



360 mm (14.2 in)



600 mm (23.6 in)

640 mm (25.2 in)

The machine illustrated above is the Legacy L'2m 4 grinders

L'2S



175 espresso/h/extraction 23 s

120 hot water products/h/200ml

120 powder products/h



Deux produits simultanés



Steam wand with Everfoam



—



Hot water outlet



e'Levelling



—



60 kg



360 x 640 x 600 mm



Tempest

L'2MS

175 espresso/h/extraction 23 s

120 cappuccino/h/extraction 23 s

120 hot water products/h/200ml

120 powder products/h

Deux produits simultanés

Steam wand with Everfoam

Milk system with EMT

Hot water outlet

e'Levelling

—

60 kg

360 x 640 x 600 mm


Tempest

COMING SOON

CAMEO



Our Cameo was developed to be the machine that would first introduce our philosophy of Super Traditional. Since then, we have innovated to continuously define and grow the space between super automatic and traditional machines as a leader in our field, contributing to every chapter of our story with consistency, creativity and substance.





Raw

Earth

Tempest

CAMEO / CORE



Cameo C'2c/Core Tempest - C'2ms/Core Tempest

C'2C/CORE



175 espresso per hour
(23s extraction time)
170 hot water products



Two products at the same time



—



—



—



e'Levelling



—



53 kg



430 x 580 x 600 mm



Tempest

C'2S/CORE

175 espresso per hour
(23s extraction time)
170 hot water products

Two products at the same time

Steam wand with Everfoam

—

—

e'Levelling

—

60 kg

430 x 580 x 600 mm

Tempest

C'2MS/CORE

175 espresso per hour
(23s extraction time)
175 cappuccino per hour
(23s extraction time)
170 hot water products

Two products at the same time

—

Milk system with EMT

—

e'Levelling

—

62 kg

430 x 580 x 600 mm

Tempest

CAMEO / CLASSIC



Cameo C'2ms/Classic Tempest - C'2s/Classic Tempest

C'2C/CLASSIC



175 espresso per hour
(23s extraction time)
170 hot water products



Two products at the same time



—



—



Hot water outlet



e'Levelling



—



53 kg



430 x 580 x 600 mm



Earth, Tempest or
customised on request

C'2S/CLASSIC

175 espresso per hour
(23s extraction time)
170 hot water products

Two products at the same time

Steam wand with Everfoam

—

Hot water outlet

e'Levelling

—

60 kg

430 x 580 x 600 mm

Earth, Tempest or
customised on request

C'2MS/CLASSIC

175 espresso per hour
(23s extraction time)
175 cappuccino per hour
(23s extraction time)
170 hot water products

Two products at the same time

Steam wand with Everfoam

Milk system with EMT

Hot water outlet

e'Levelling

1.5-Step (Option)

62 kg


430 x 580 x 600 mm

Earth, Tempest or
customised on request

C A M E O / S T



470 mm (18.5 in)



600mm (23.6 in)

580 mm (22.83 in)

Cameo C'2ms/ST Raw - C'2s/ST Raw

C ' 2 C / S T



175 espresso per hour
(23s extraction time)
170 hot water products



Two products at the same time



—



—



Hot water outlet



e'Levelling



—



58 kg



470 x 580 x 600 mm



Raw or customised on request

C ' 2 S / S T

175 espresso per hour
(23s extraction time)
170 hot water products

Two products at the same time

Steam wand with Everfoam

—

Hot water outlet

e'Levelling

—

65 kg

470 x 580 x 600 mm

Raw or customised on request

C ' 2 M S / S T

175 espresso per hour
(23s extraction time)
175 cappuccino per hour
(23s extraction time)
170 hot water products

Two products at the same time

Steam wand with Everfoam

Milk system with EMT

Hot water outlet

e'Levelling

1.5-Step (Option)

67 kg

470 x 580 x 600 mm

Raw or customised on request

C'CHOCO

C'FRIDGE BESIDE

C'CUP HEATER

**C'CHOCO / CLASSIC**

Designed for Cameo, our C'choco is a chocolate module that hosts two powder containers, enabling you the freedom of choice to not only use chocolate powder, but any powder you may require to make a hot beverage with.

C'FRIDGE BESIDE / CLASSIC

Our C'fridge beside; perfectly aligned with our traditional Cameo design, preserving milk quality in the best way possible.

C'FRIDGE BENEATH

Our C'fridge Beneath is perfect for space optimisation and to keep your milk chilled at an ideal temperature.

C'CUP HEATER / CLASSIC

Introducing our C'cup heater, the ideal companion designed for our Cameo machines. It has four heated storage surfaces and can keep warm up to 180 espresso cups.

ENIGMA

AUTHENTIC & TIMELESS

Our ambition to continuously expand the space between the worlds of super automatic and traditional machines has inspired us to take it a step further. We wanted to achieve this by introducing new aesthetics, design components and colour to create a more dynamic space in line with our own Super Traditional philosophy.

Other features include e'Levelling, the new 1.5-Step milk arm, a new brewing module, a traditional metal coffee outlet, a faster and more efficient operating system as well as larger touch screens that can host a wider variety of recipes.









Earth

Tempest


Charcoal


ENIGMA / CLASSIC



E'2s/Classic Earth - E'2ms/Classic Earth

E'2C/CLASSIC

-  175 espresso per hour
(23s extraction time)
- 170 hot water products

-  Two products at the same time



—



—



Hot water outlet



e'Levelling



—



52 kg



280 x 743 x 600 mm



Earth, Tempest or
customised on request

E'2S/CLASSIC

- 175 espresso per hour
(23s extraction time)
- 170 hot water products

Two products at the same time

Steam wand with Everfoam

—

Hot water outlet

e'Levelling

—

83 kg

560 x 743 x 600 mm

Earth, Tempest or
customised on request

E'2MS/CLASSIC

- 175 espresso per hour
(23s extraction time)
- 175 cappuccino per hour
(23s extraction time)
- 170 hot water products

Two products at the same time

Steam wand with Everfoam

Milk system with EMT

Hot water outlet

e'Levelling

1.5-Step (Option)

87 kg

560 x 743 x 600 mm

Earth, Tempest or
customised on request

ENIGMA / CLASSIC



560 mm (22.05 in)



600 mm (23.6 in)

743 mm (29.25 in)

E'4ms/Classic Earth

E'4S/CLASSIC



350 espresso per hour
(23s extraction time)
170 hot water products



Four products at the same time



Two steam wands with Everfoam



—



Hot water outlet



e'Levelling



—



90 kg



560 x 743x 600 mm



Earth, Tempest or
customised on request

E'4MS/CLASSIC

350 espresso per hour
(23s extraction time)
350 cappuccino per hour
(23s extraction time)
170 hot water products

Four products at the same time

Steam wand with Everfoam

Milk system with EMT

Hot water outlet

e'Levelling

2x 1.5-Step (Option)

94 kg

560 x 743 x 600 mm

Earth, Tempest or
customised on request

ENIGMA / CLASSIC



E'4ms x-wide/Classic Earth

E'4S X-WIDE / CLASSIC

350 espresso per hour
(23s extraction time)
170 hot water products

Four products at the same time

Two steam wands with Everfoam

—

Hot water outlet

e'Levelling

—

115 kg

840 x 743 x 600 mm

Earth, Tempest or
customised on request

E'4MS X-WIDE / CLASSIC

350 espresso per hour
(23s extraction time)
350 cappuccino per hour
(23s extraction time)
170 hot water products

Four products at the same time

Two steam wands with Everfoam

Milk system with EMT

Hot water outlet

e'Levelling

2x 1.5-Step

119 kg

840 x 743 x 600 mm


Earth, Tempest or
customised on request


ENIGMA / CLASSIC




E'6ms/Classic Earth


E'6S/CLASSIC

-  525 espresso per hour
(23s extraction time)
- 170 hot water products

-  Six products at the same time

-  Two steam wands with Everfoam





-  Hot water outlet

-  e'Levelling



-  142 kg

-  840 x 743 x 600 mm

-  Earth, Tempest or
customised on request

E'6MS/CLASSIC

- 525 espresso per hour
(23s extraction time)
- 350 cappuccino per hour
(23s extraction time)
- 170 hot water products

- Six products at the same time

- Steam wand with Everfoam

- Milk system with EMT

- Hot water outlet

- e'Levelling

- 2x 1.5-Step (Option)

- 150 kg

- 840 x 743 x 600 mm

- Earth, Tempest or
customised on request

SHOTMASTER / CLASSIC



Shotmaster c/Classic Earth

SHOTMASTER C / CLASSIC

350 espresso per hour
(23s extraction time)
170 hot water products

Four products at the same time

—

—

—

e'Levelling

—

60 kg

280 x 743 x 600 mm

Earth, Tempest or customised on request

SHOTMASTER S / CLASSIC

350 espresso per hour
(23s extraction time)
170 hot water products

Four products at the same time

Two steam wands with Everfoam

—

Hot water outlet

e'Levelling

—

91 kg

560 x 743 x 650 mm

Earth, Tempest or customised on request

SHOTMASTER MS / CLASSIC

350 espresso per hour
(23s extraction time)
350 cappuccino per hour
(23s extraction time)
170 hot water products

Four products at the same time

Steam wand with Everfoam

Milk system with EMT

Hot water outlet

e'Levelling

2 x 1.5-Step

95 kg

560 x 743 x 650 mm

Earth, Tempest or customised on request

ENIGMA / ST



E'2s/ST Charcoal - E'2ms/ST Charcoal

E'2C / ST

- 175 espresso per hour
(23s extraction time)
- 170 hot water products

- Two products at the same time



- Hot water outlet

- e'Levelling



- 58 kg

- 289 x 743 x 660 mm

- Charcoal or customised on request

E'2S / ST

- 175 espresso per hour
(23s extraction time)
- 170 hot water products

- Two products at the same time

- Steam wand with Everfoam



- Hot water outlet

- e'Levelling



- 93 kg

- 569 x 743 x 660 mm

- Charcoal or customised on request

E'2MS / ST

- 175 espresso per hour
(23s extraction time)
- 175 cappuccino per hour
(23s extraction time)
- 170 hot water products

- Two products at the same time

- Steam wand with Everfoam

- Milk system with EMT

- Hot water outlet

- e'Levelling

- 1.5-Step (Option)

- 97 kg

- 569 x 743 x 660 mm

- Charcoal or customised on request

ENIGMA / ST



743 mm (29.25 in)

E'4ms/ST Charcoal

E'4S/ST



350 espresso per hour
(23s extraction time)
170 hot water products



Four products at the same time



Two steam wands with Everfoam



—



Hot water outlet



e'Levelling



—



100 kg



569 x 743 x 660 mm



Charcoal or customised on request

E'4MS/ST

350 espresso per hour
(23s extraction time)
350 cappuccino per hour
(23s extraction time)
170 hot water products

Four products at the same time

Steam wand with Everfoam

Milk system with EMT

Hot water outlet

e'Levelling

2x 1.5-Step (Option)

104 kg

569 x 743 x 660 mm

Charcoal or customised on request

ENIGMA / ST



E'4ms x-wide/ST Charcoal

E'4S X-WIDE / ST



350 espresso per hour
(23s extraction time)
170 hot water products



Four products at the same time



Two steam wands with Everfoam



—



Hot water outlet



e'Levelling



—



127 kg



849 x 743 x 660 mm



Charcoal or customised on request

E'4MS X-WIDE / ST

350 espresso per hour
(23s extraction time)
350 cappuccino per hour
(23s extraction time)
170 hot water products

Four products at the same time

Two steam wands with Everfoam

Milk system with EMT

Hot water outlet

e'Levelling

2x 1.5-Step

131 kg

849 x 743 x 660 mm

Charcoal or customised on request

ENIGMA / ST



E'6ms/ST Charcoal

E'6S/ST



525 espresso per hour
(23s extraction time)
170 hot water products



Six products at the same time



Two steam wands with Everfoam



Hot water outlet



e'Levelling



154 kg



849 x 743 x 660 mm



Charcoal or customised on request

E'6MS/ST

525 espresso per hour
(23s extraction time)
350 cappuccino per hour
(23s extraction time)
170 hot water products

Six products at the same time

Steam wand with Everfoam

Milk system with EMT

Hot water outlet

e'Levelling

2x 1.5-Step (Option)

162 kg

849 x 743 x 660 mm

Charcoal or customised on request

SHOTMASTER / ST



Shotmaster c/ST Charcoal

SHOTMASTER C / ST

350 espresso per hour
(23s extraction time)
170 hot water products

Four products at the same time

—

—

—

e'Levelling

—

66 kg

289 x 743 x 660 mm

Charcoal or customised on request

SHOTMASTER S / ST

350 espresso per hour
(23s extraction time)
170 hot water products

Four products at the same time

Two steam wand with Everfoam

—

Hot water outlet

e'Levelling

—

101 kg

569 x 743 x 710 mm

Charcoal or customised on request

SHOTMASTER MS / ST

350 espresso per hour
(23s extraction time)
350 cappuccino per hour
(23s extraction time)
170 hot water products

Four products at the same time

Steam wand with Everfoam

Milk system with EMT

Hot water outlet

e'Levelling

2 x 1.5-Step

105 kg

569 x 743 x 710 mm

Charcoal or customised on request

SHOTMASTER / ST



Shotmaster ms-pro/ST Charcoal

SHOTMASTER S-PRO/ST

SHOTMASTER MS-PRO/ST



700 espresso per hour
(23s extraction time)
170 hot water products

700 espresso per hour
(23s extraction time)
350 cappuccino per hour
(23s extraction time)
170 hot water products



Eight products at the same time

Eight products at the same time



Two steam wands with Everfoam

Steam wand with Everfoam



—

Milk system with EMT



Hot water outlet

Hot water outlet



e'Levelling

e'Levelling



—

2x 1.5-Step



163 kg

167 kg



849 x 743 x 710 mm

849 x 743 x 710 mm



Charcoal or customised on request

Charcoal or customised on request

E'CHOCO

E'FRIDGE

E'CUP HEATER

**E'CHOCO / CLASSIC**

Our E'choco/Classic is a completely unique powder module designed for our Enigma/Classic range. The E'choco isn't just limited to chocolate powder, it works with any powder you wish to utilise to make a hot beverage with.

E'FRIDGE / CLASSIC

Our Efridge/Classic is perfectly aligned with our traditional Enigma/Classic design, preserving milk quality in the best way possible.

E'CUP HEATER / CLASSIC

Our E'cup heater/Classic, with four heated levels is the perfect sidekick to keeping up to 180 espresso cups at the perfect temperature.

E'CHOCO

E'FRIDGE

E'CUP HEATER

**E'CHOCO / ST**

Our E'choco/ST is a completely unique powder module designed for our Enigma/ST range. The E'choco isn't just limited to chocolate powder, it works with any powder you wish to.

E'FRIDGE / ST

Our E'fridge/ST is perfectly aligned with our Enigma/ST design, preserving milk quality in the best way possible.

E'CUP HEATER / ST

Our E'cup heater/ST, with four heated levels is the perfect sidekick to keeping up to 180 espresso cups at the perfect temperature.

CUSTOM



Part of our vision behind the creation of Super Traditional equipment, is to enable our clients to customise their equipment to reflect their brand, decor....

Being able to differentiate yourself from the competition can give you a unique commercial advantage.

Here are a few examples of what we have created so far.




Shot Master



It has been a dynamic 10 years for product innovation, global business expansion, and employee growth. In these past 10 years, we have celebrated milestones such as the opening of our North America and United Kingdom divisions, opened offices in Hong Kong, entered into a strategic partnership with De'Longhi in 2017, opening our brand-new factory and office building in Sierre in 2019, and most recently the final acquisition of our stake by De'Longhi Group.

Having recently written a new 3-year plan, we are filled with optimism and excitement at what this next season might bring. New products, concepts, clients, territories....the future looks promising.





commercial@eversys.com

HEADQUARTERS

EVERSYS SA

Ecoparc de Daval A 2
3960 Sierre
Switzerland

REGIONAL OFFICES

EVERSYS ROW & DE | AT | PL

Ecoparc de Daval A 2
3960 Sierre
Switzerland

EVERSYS APAC

The Concourse,
300 Beach Road, #18-01,
Singapore

EVERSYS GREATER CHINA

Room 01-06, 45/F, No. 1188, Kai
Xuan (N) Road, Putuo District,
Shanghai, China

EVERSYS INC

37-18 Northern Blvd, Suite 421
Long Island City, NY
United States of America

EVERSYS MEIA

Indigo Central Building 6,
office 104, Al Manara District,
Sheikh Zayed Road
Dubai, United Arab Emirates

EVERSYS UK

Unit 1, Royce Road Industrial Estate
Royce Road, Crawley
West Sussex, RH10 9NX
United Kingdom

EVERSYS IRELAND

294 Blanchardstown Corporate Park
Ballycoolin, Dublin 15
D15 DK80
Eire

SUPER TRADITIONAL 